

# DISTRIBUTOR BASICS BOOKLET



**DIAMOND TOOLS, EQUIPMENT AND ABRASIVES  
GUIDE FOR DISTRIBUTORS**



**DELUX-CUT**  
 • Basic quality diamond and economical cutting value  
**Specifications:**  
 H8D - General purpose, pavers, hard brick/block  
 H10D - Asphalt, green concrete, brick and block

H8D	
SIZE	CAT #
10" x .110 x 1"	22856
12" x .110 x 1"	70495
14" x .125 x 1"	70499
16" x .125 x 1"	20926
H10D	
14" x .125 x 1"	50537



**STAR BLUE**  
 • Good quality diamond and good cutting value  
**Specifications:**  
 H8B - General purpose, pavers, hard brick/block  
 H10B - Asphalt, green concrete, brick and block

H8B	
SIZE	CAT #
14" x .125 x UNV	85261
16" x .125 x 1"	21424
18" x .125 x 1"	63599
H10B	
14" x .125 x 1"	14355



**IMPERIAL PURPLE**  
 • Better quality diamond & very good cutting life  
**Specifications:**  
 H8I - Medium aggregate concrete, pavers, hard brick/block  
 H10I - Asphalt, green concrete, brick and block

H8I	
SIZE	DP CAT #
14" x .125 x UNV	78976
16" x .125 x 1"	96480
18" x .125 x 1"	34504
H10I	
14" x .125 x UNV	15379



**DELUX-CUT**  
 • Basic quality diamond and economical cutting value  
**Specifications:**  
 T7D - General purpose, fast cutting

DELUX-CUT TURBO	
SIZE	T7D Cat #
4" x .080 x 7/8"	21124
4-1/2" x .080 x 7/8"	21134
6" x .080 x 7/8"	21141
7" x .095 x 7/8"	21163
10" x .110 x 1"	21204
12" x .125 x 1"	21205
14" x .125 x 1"	21212

\*Includes 5/8" bushing



**STAR BLUE**  
 • Good quality diamond and good cutting value  
**Specifications:**  
 T7B - General purpose, fast cutting

STAR BLUE TURBO	
SIZE	T7B Cat #
4" x .080 x 7/8"	74959
4-1/2" x .080 x 7/8"	74960
7" x .095 x 7/8"	74961
9" x .095 x 7/8"	80005
12" x .125 x 1"	74962
14" x .125 x 1"	74964

\*Includes 5/8" bushing



**A22 VACUUM BONDED**  
 • Vacuum bonded technology-diamonds are adhered to the core landing  
 • Great for rescue and emergency situations  
 • Cuts a wide range of materials

A22 VACUUM BONDED	
SIZE	T7AZ Cat #
4-1/2" x .080 x 7/8"	21511
7" x .095 x 7/8"	21531
9" x .125 x 7/8"	18751
14" x .125 x 1"	21571
16" x .125 x 1"	21576

\*Includes 5/8" bushing



**HEAVY DUTY MAXX**  
 • Very high quality diamond and longer cutting life  
**Specifications:**  
 H7H - Hard aggregate concrete  
 H8H - Medium aggregate concrete, concrete pavers, hard brick/block  
 H10H - Asphalt, green concrete, brick and block

H7H	
SIZE	CAT #
14" x .125 x UNV	53741
H8H	
14" x .125 x UNV	53742
16" x .125 x UNV	90185
H10H	
14" x .125 x UNV	53743




**H,D, MAXX ULTIMATE**  
 • Very high quality diamond and long cutting life with faster cut  
**Specifications:**  
 HU8H - Medium aggregate concrete, concrete pavers, hard brick/block

H8H	
SIZE	CAT #
12" x .125 x UNV	112838
14" x .125 x UNV	112839
16" x .125 x UNV	112840



**CUT-ALL MULTI-PURPOSE**  
 • High speed blade with split segment design cuts cured and green concrete, brick and block, ductile iron and asphalt. Best suited for harder materials.

HD ORANGE CUT-ALL	
SIZE	H8CA Cat #
12" x .125 x UNV	84967
14" x .125 x UNV	84968
16" x .125 x UNV	84969
18" x .125 x 1"	86709
IMPERIAL PURPLE CUT-ALL	
SIZE	H8ICA Cat #
14" x .125 x UNV	15373
16" x .125 x UNV	15375



**X-TURBO**  
 • Unique turbo core with enhanced air holes to keep the blade cool  
 • Includes a full radius drop segment for enhanced blade life.  
 T7X - Concrete, fast cutting

X-TURBO BLADES	
SIZE	T7X Cat #
14" x .125 x 1"	63760
16" x .125 x 1"	63763
20" x .125 x 1"	63764

**XL-TURBO**  
 • Unique turbo core with even more air holes to keep the blade cool at higher speeds  
 T7XL - General purpose, super fast cutting

XL-TURBO BLADES	
SIZE	T7XL Cat #
14" x .125 x 1"	19312
16" x .125 x 1"	20161
20" x .125 x 1"	20183

**XS-TURBO**  
 • Unique turbo core with even more air holes to keep the blade cool at higher speeds  
 T7XS - General purpose, super fast cutting

XS-TURBO BLADES	
SIZE	T7XS Cat #
9" x .100 x 1"	112447
12" x .125 x 1"	111775
14" x .125 x 1"	111774
16" x .125 x 1"	111778

**XXXL-TURBO**  
 • Three different segments for longer life, faster cutting and reliable performance  
 T7XL3 - General purpose, super fast cutting

XXXL-TURBO BLADES	
SIZE	T7XL3 Cat #
14" x .125 x 1"	42891
16" x .125 x 1"	42892
20" x .125 x 1"	42893

HIGH SPEED BLADE SPECIFICATIONS					
Application	Delux Cut	Star Blue	Standard Gold	Imperial Purple	Heavy Duty Orange MAXX
Quality Level	1	2	3	4	6
Hard Aggregate Concrete	---	---	---	---	H7H
General Purpose Concrete	H8D	H8B	H8S	H8I	H8H
Asphalt	H10D	H10B	H10S	H10I	H10H
Green Concrete	H10D	H10B	H10S	H10I	H10H
Brick & Block	H10D	H10B	H10S	H10I	H10H



**Tyrolit BASIC Heavy Duty High Speed Gas & Portable Saw Wheels for Steel-Type 1**

- Aluminum oxide grain
- Designed for all ferrous metals
- A free cutting wheel with exceptional cut rate and very good life
- Triple-reinforced for stability and safety

SIZE	Specification	Cat #	Unit Pkg. Qty.
14" x 1/8" x UNV	A30P/100	51567	10



**UNIVERSAL ARBOR**



**Tyrolit BASIC Heavy Duty High Speed Gas & Portable Saw Wheels for Ductile/Cast Iron & Asphalt-Type 1**

- Aluminum oxide/silicon carbide blend
- Designed for ductile pipe, asphalt and cast iron
- Exceptional cut rate and life
- Triple-reinforced for stability and safety

SIZE	Specification	Cat #	Unit Pkg. Qty.
14" x 1/8" x UNV	AC24/100	51568	10



**UNIVERSAL ARBOR**



**Tyrolit BASIC Heavy Duty High Speed Gas & Portable Saw Wheels for Masonry & Concrete-Type 1**

- Silicon carbide grain
- Designed for cutting concrete, masonry, stone, brick and PVC pipe
- Exceptional cut rate and very long life
- Triple-reinforced for stability and safety

SIZE	Specification	Cat #	Unit Pkg. Qty.
14" x 1/8" x UNV	1C24/100	51573	10



**UNIVERSAL ARBOR**



Tyrolit BASIC Chop Saw Wheels for Steel - Type 1



Tyrolit BASIC Super Thin Wheels for INOX, Steel & Stainless Steel Type 1



Tyrolit BASIC 2 in 1 Wheels - Type 27



Zec® and Semi-Flexible Grinding Discs for Concrete/Masonry



Tyrolit BASIC 2 in 1 Zirconia Flap Discs for Steel and Stainless Steel Type 29

TYROLIT BASIC CHOP SAW WHEELS FOR STEEL - TYPE 1				
SIZE	Specification	Max RPM	Cat #	Unit Pkg. Qty.
14" x 7/64" x 1"	A36BF	4400	93890	10
14" x 3/32" x 1"	A36BF	4400	79442	10
TYROLIT BASIC SUPER THIN WHEELS FOR INOX, STEEL & STAINLESS STEEL - TYPE 1				
4-1/2" x .040 x 7/8"	WA60-BF	13280	47413	25
4-1/2" x .060 x 7/8"	WA60-BF	13280	10001	25
6" x .045 x 7/8"	A46Q-BF	10200	44552	25
TYROLIT PREMIUM WHEELS FOR INOX, STEEL & STAINLESS STEEL - TYPE 1				
4-1/2" x .040 x 7/8"	A60Q-BFKA	13280	54078	25
TYROLIT BASIC 2 IN 1 WHEELS - TYPE 27				
4-1/2" x 1/4" x 5/8"-11	A30BF	13280	50020	10
7" x 1/4" x 5/8"-11	A30BF	8600	79140	10
ZEC® AND SEMI-FLEXIBLE GRINDING DISCS FOR CONCRETE/MASONRY				
4-1/2" x 7/8"	16-Grit Silicon	13280	58155	5
7" x 7/8"	16-Grit Silicon	8600	58154	5
TYROLIT BASIC 2 IN 1 ZIRCONIA FLAP DISCS FOR STEEL AND STAINLESS STEEL-TYPE 29				
4-1/2" x 7/8"	ZA60-B	13280	94146	10



**Right Angle Grinder**



**Electric Circular Saw**

**Type 1**



**Type 29**

**C14, C14PRO & C16 ELECTRIC HAND SAWS**

**14/16" Blade Capacity Electric**

**FEATURES - C14, C14PRO & C16**

- Wet or dry cutting
- Overload protection with load warning LED light
- Detachable guide rollers
- Splash guard to protect from water spray
- Handles designed for optimal control
- Tool-free blade guard angle adjustment
- Lightweight magnesium blade guard
- Externally accessible motor brushes
- Standard water feed system with fine adjustable flow and quick release coupling and durable hose



**C14**

**C14 & C14PRO HAND HELD ELECTRIC SAWS**

Model #	Motor Power	Cat #
C14 (14")	15A/120V	48975
C14PRO (14")	25A/120V	74267



**C14 PRO**



**VACUUM SKID PLATES**

DESCRIPTION	CAT #
C14 Vacuum Plate	80698
C16 Vacuum Plate	05225

**C16 with Flush Cut Flange and Removable Side Guard**

**C16 HAND HELD FLUSH CUT SAWS**

Model #	Motor Power	Cat #
C16 (16")	15A/120V	72378

**FLUSH CUT BLADES FOR C16 SAWS**

SIZE	Bond Spec	CAT #
16" x .125 x LYFC	H7H	82549
16" x .125 x LYFC	T7XL Turbo	82548



**C16**



**CSE12 CHAIN SAW**

**FEATURES**

- 12" maximum cutting depth
- Electronic overload and thermal protection
- LED load indicator

**CSE12 Chain Saw**

Description	Cat #
CSE12 Electric Chain Saw (110V) with Bar and Chain (12")	100696





**CB215**  
**3" Bit Capacity, 6" Mounted**  
**ELECTRIC**  
**FEATURES**

- 1800 Watt, 115 volt electric
- 3-speed gear box (1000/1600/4450 RPM) with slip clutch
- D-handle and side handle for stable coring
- 1.250"-7 threaded spindle with 5/8"-11 adapter
- Water hose and dry vacuum connection
- Works with M-4 stand and hand held motor mounts

**CB215 HAND-HELD MOTOR**

Motor/Model #	Cat #	Product Weight (lbs.)
CB215 (WET/DRY)		



**CB515**  
**3" Bit Capacity**  
**ELECTRIC**  
**FEATURES**

- 1800 Watt, 115 volt electric
- 2-speed gear box (1400 rpm and 2300 rpm) with slip clutch
- Side handle for stable coring
- 1.250"-7 spindle with 5/8"-11 adapter
- Water hose connection for wet drilling
- PRCD/GFCI Class I cord
- Works with M-4 stand and hand held motor mounts

**CB515 HAND-HELD MOTOR**

Motor/Model #	Cat #	Product Weight (lbs.)
CB515 (WET/DRY)	98794	10.5



**WEKA DK12 & DK13**  
**3" Bit Capacity, 6" Mounted**  
**ELECTRIC**  
**FEATURES**

- Thermal overload protection
- Carrying case and spindle wrench
- Hand-held and mounted

**DK12 & DK13 HAND-HELD MOTOR**

Motor/Model #	Cat #	RPM	Product Weight (lbs.)
Weka DK12 (WET)	01738	970/2330/4400	25
Weka DK13 (WET/DRY)	47055	970/2330/4400	25



**Star Blue Dry Hole Saw**  
 Good quality diamond and good coring value  
 DB-Block and soft brick-not for use on concrete

STAR BLUE DRY HOLE SAW	
SIZE	DB Cat #
1"	35385
1-1/4"	35390
1-1/2"	35392
2"	35406
2-1/2"	35440

STAR BLUE DRY HOLE SAW	
SIZE	DB Cat #
3"	35444
3-1/2"	35452
4"	35453
4-1/2"	35459
5"	35478
6"	35479

**Heavy Duty Orange**  
 Very high quality diamond and longer coring life  
 DH-Block and soft brick-not for use on concrete

HEAVY DUTY ORANGE DRY HOLE SAW	
SIZE	DH Cat #
7/8"	04771
1"	04706
1-1/4"	04711
1-1/2"	04717
1-3/4"	04720
2"	00011
2-1/4"	04727

HEAVY DUTY ORANGE DRY HOLE SAW	
SIZE	DH Cat #
2-1/2"	00012
3"	00013
3-1/2"	00014
4"	04745
4-1/2"	04751
5"	04756
6"	04764



**M1AA-15**  
**6" Bit Capacity**  
**ELECTRIC**  
**FEATURES**

- Spring loaded slide handle for easy coring
- Convenient carrying handle on carriage
- Easy to use for standard hole drilling
- Trap ring keeps water contained
- Single speed - 800 RPM

**SMALL COMBINATION DRILL RIGS**

Model #	Motor	Cat #	Product Weight (lbs.)
M1AA-15	15 amp Core Bore	85986	35

Bit not included



M-1 with CB733

**M-1 COMPLETE CORE RIG**  
 Standard 14" Bit Capacity - 16" with spacer

**ELECTRIC**  
**FEATURES**

- CB733 motor
- 2-1/2" square column (mast)
- Vacuum pump for quick mounting to flat surface
- Slide handle allows for drilling in tight areas
- Combination base is a quick change over from vacuum to anchor

**M-1 COMPLETE CORE RIGS**

Motor	Model #	Cat #	Product Wt.(lbs.)
Core Bore CB733	M1C-20-CB733WO	39317	134

**M-1 RIG ACCESSORIES**

Description	Cat #
M-1 Spacer Block	01924
1015 Adapter - 1.250"-7F to 5/8"-11M	01878
125-12 Extension	01873

M-4 Angle Stand Only (for CB215, CB515, DK12 & DK13 motors) - Cat # 01680

Bit not included



Bit not included

**M-4**  
**6" Bit Capacity, 3" (hand held)**  
**ELECTRIC**  
**FEATURES**

- Reversible slide handle (for use on left or right side)
- Top carrying handle
- Quick release motor mount
- 4 Leveling screws on base
- RPM: 970/2330/4400

**M-4 COMBINATION CORE RIGS**

Model #	Motor	Cat #	Product Weight (lbs.)
M4C-14-DK12-V	14 Amp Weka DK12	00020	74



M-5 with CB733

**M-5 ANGLE CORE RIG WITH CB733**  
 Standard 16" Bit Capacity

**ELECTRIC**

- 2-1/2" x 3" extruded aluminum light-weight mast
- 4-spoke sliding handle
- Combo vacuum/anchor base
- Includes vacuum pump
- Quick-disconnect motor mount
- Angle stand to drill up to 45 degrees

**M-5 COMPLETE CORE RIGS**


Motor	Model #	Cat #	Product Wt.(lbs.)
Core Bore CB733	M5C-20-CB733V	39420	119



**Star Blue Wet Core Bore**  
 Good quality and good coring value  
**BOL**-General purpose, cured concrete and hard materials

STAR BLUE WET BITS	
SIZE	BOL Cat #
1"	09978
1-1/4"	09981
1-1/2"	09989
2"	10028
2-1/2"	10031
3"	10041
3-1/2"	10055

STAR BLUE WET BITS	
SIZE	BOL Cat #
4"	10057
4-1/4"	10072
4-1/2"	10074
5"	10083
6"	10084
8"	10103
10"	10173



**Heavy Duty Orange Wet Core Bore**  
 • Excellent footage and drilling speed. Designed for all types of wet drilling in applications with light to moderate steel  
 • Very high quality diamond and longer coring life.  
**HOL**- General Purpose, Longer Life

HEAVY DUTY ORANGE WET BITS	
SIZE	HOL Cat #
1"	04812
1-1/8"	04837
1-1/4"	15509
1-1/2"	15525
2"	15479
2-1/4"	04959
2-1/2"	00004
3"	00005
3-1/2"	00006

HEAVY DUTY ORANGE WET BITS	
SIZE	HOL Cat #
4"	00007
4-1/2"	00008
5"	00009
5-1/2"	05867
6"	00010
6-1/2"	05927
8"	05183
10"	04822
12"	04853



**Star Blue Wet Core Bore**  
 • Turbo segments for fast coring in general purpose concrete  
**TBOWL**- General purpose, cured concrete and hard materials

STAR BLUE WET BITS	
SIZE	TBOWL Cat #
2"	32955
2-1/2"	10186
3"	10237
3-1/2"	10238
4"	10266
4-1/2"	10272

STAR BLUE WET BITS	
SIZE	TBOWL Cat #
5"	10290
6"	10305
8"	10307
10"	10323
12"	23251



**Premium Black Wet Core Bore Bit**  
 • Very High diamond concentration for maximum footage and speed  
 • Good in moderate to high steel. Highest quality and longest coring life  
**POL**- General Purpose, Longest Life - for the pro driller

PREMIUM BLACK WET BITS	
SIZE	POL Cat #
7/8"	06004
1"	05293
1-1/8"	05338
1-1/4"	05381
1-1/2"	05441
2"	05529
2-1/2"	05607
3"	05661
3-1/2"	05709
4"	05761

PREMIUM BLACK WET BITS	
SIZE	POL Cat #
4-1/2"	05805
5"	05843
5-1/2"	05867
6"	05892
6-1/2"	05927
8"	05984
10"	05306
12"	05361
14"	05417

**HYPER BIT**

• Wide-spaced serrated turbo style design for less surface-to-surface contact and speed  
**HY38Z**- General purpose, cured concrete and hard materials, very fast coring and long life

HYPER CORE BORE™	
SIZE	HY38Z Cat #
2"	108623
2-1/2"	108624
3"	108626
3-1/2"	108628
4"	108629
4-1/2"	108630
5"	108631
6"	108632
8"	108633
10"	108634
12"	108635

**MACH III BIT**

• M-Segment with three surface points  
**MOL3**- General purpose, cured concrete and hard materials, very fast coring with great performance

MACH III CORE BORE™	
SIZE	MOL3 Cat #
2"	108130
2-1/2"	108617
3"	107881
3-1/2"	108619
4"	107932
4-1/2"	108621
5"	107880
6"	107933
8"	108131
10"	108518
12"	108622

**ULTRA WHITE BIT**

• M-16 design with bevel surface point for fast coring right out of the box  
**WOL**- General purpose, cured concrete and hard materials, fast coring

ULTRA WHITE CORE BORE™	
SIZE	WOL Cat #
2"	108636
2-1/2"	108637
3"	108638
3-1/2"	108639
4"	108640
4-1/2"	108641
5"	108642
6"	108643
8"	108644
10"	108645
12"	108646



**Delux-Cut**  
 • Basic quality diamond, economical cutting value  
**E2D** - General purpose concrete

DELUX-CUT	
SIZE	E2D Cat #
4" x .080 x 7/8"	20966
4-1/2" x .080 x 7/8"	21002
6" x .080 x 7/8"	22783
7" x .080 x 7/8"	22785
9" x .080 x 7/8"	22820



**Star Blue**  
 • Basic quality diamond and good cutting value  
**E2B** - General purpose concrete

STAR BLUE	
SIZE	E2B Cat #
4" x .070 x 7/8"	74950
4-1/2" x .070 x 7/8"	74951
7" x .080 x 7/8"	74952
9" x .080 x 7/8"	70494
4-1/2" x .250 <b>luck point</b>	74967



For use on circular saws and side grinders



**Turbo Fiber Cement Blade**

• Designed for stacked sheet cutting of fiber cement board

TURBO FIBER CEMENT BOARD BLADE	
SIZE	T7FB Cat#
4-1/2" x .080 x 7/8"	101630
7" x .080 x 7/8"	101612

**Delux-Cut Single & Double Row**

• Basic quality diamond, economical grinding value  
**S5D** - General concrete grinding and removal  
**D5D** - General purpose grinding, aggressive removal - long life

DELUX-CUT SEGMENTED CUP GRINDERS	
SIZE	S5D Cat #
4" x 5/8-11 Single Row	22405
7" x 5/8-11 Single Row	22408
SIZE	D5D Cat #
4-1/2" x 5/8-11 Double Row	22415
7" x 5/8-11 Double Row	22418



**Star Blue Single & Double Row**

• Basic quality diamond and economical grinding value  
**S5B** - General concrete grinding and removal  
**D5B** - General purpose grinding, aggressive removal - long life

STAR BLUE SEGMENTED CUP GRINDERS	
SIZE	S5B Cat #
4" x 5/8-11 Single Row	77383
7" x 5/8-11 Single Row	77542
SIZE	D5B Cat #
4-1/2" x 5/8-11 Double Row	70360
7" x 5/8-11 Double Row	70391

**Delux-Cut Spiral Turbo**

• Spiral turbo for a fast grind  
**T5D** - General concrete grinding and removal

DELUX-CUT SPIRAL TURBO CUP GRINDERS	
SIZE	T5D Cat#
4" x 5/8"-11 (10 seg)	22419
7" x 5/8"-11 (12 seg)	22474



**Star Blue Spiral Turbo**

• Spiral turbo for a fast grind  
**T5B** - General concrete grinding and removal

STAR BLUE SPIRAL TURBO CUP GRINDERS	
SIZE	T5B Cat#
4" x 5/8-11 (10 seg)	00036
7" x 5/8-11" (12 seg)	90193
7" x 5/8-11 (24 seg)	90359



**Standard Gold**  
 • General grinding and medium removal with better life  
 • Spiral turbo for fast, aggressive grinding

STANDARD GOLD SPIRAL TURBO CUP GRINDERS	
SIZE	T5S Cat # (with 5/8"-11 hub)
4" (9 seg)	17846
7" (12 seg)	16410
7" (24 seg)	15263



**PCD Cup Grinders**

• Polycrystalline Diamond allows aggressive removal of glue/epoxy and grout

PCD CUP GRINDERS	
SIZE	CAT #
4-1/2" x 5/8-11	14986
7" x 5/8-11	21715





**DELUX-CUT**

- Basic quality diamond and economical cutting value
- TD2D - Dry/Wet tile cutting

DELUX-CUT DRY TILE	
SIZE	TD2D Cat #
4" x .060 x 5/8"	20664
4-1/2" x .060 x 5/8"	20675
5" x .060 x 5/8"	20681
7" x .060 x 5/8"	20721
9" x .060 x 1"	68466
10" x .060 x 5/8"	20751



For use on wet or dry tile saws



**STAR BLUE**

- Good quality diamond and good cutting value
- TD2B - Dry/Wet tile cutting

STAR BLUE DRY TILE	
SIZE	TD2B Cat #
4" x .060 x 5/8"	80012
7" x .060 x 5/8"	80014
8" x .060 x 5/8"	80015
9" x .060 x 1"	68467
10" x .060 x 5/8"	80016



**CC912TS Tile Saw**

9" Capacity

**FEATURES**

- 1-7/8" cutting depth
- Max cutting depth at 45 degrees -1-7/16"
- Heavy duty table with measure guide
- Table Size: 25" width x 20.5" length

CC912TS TILE SAW		
Model #	Motor Power	Cat #
CC912TS	120V 800 Watt	46904

CC300M MASONRY SAW		
Model #	Motor Power	Cat #
CC300M	2 HP - 115 Volt 15 amp	84807

CC300M MASONRY SAW STAND	
Description	Cat #
CC300M Stand	84808

CC515MXL2E1 MASONRY SAW		
Model #	Motor Power	Cat #
CC515MXL2E1	Baldor® 1.5HP Electric 1PH, 115V	03725
CC548MHXL2	Honda 4.8HP Gasoline	03732

CC515MXL2E1M MASONRY SAW STAND	
Description	Cat #
CC500M Stand	46870



**CC300M Masonry Saw**  
14" Capacity  
Electric

**FEATURES**

- Cuts 5" deep with 14" blade
- Powerful 2 HP electric motor
- Includes 2 spare air filters

\* Blade not included



**CC500MXLII Masonry Saw**  
14" Capacity  
Electric

**FEATURES**

- Stay level blade guard
- Removable cutting head
- Side carrying handles
- Open back cutting
- Includes water pump
- Includes leg kit - stand sold separately

\* Blade not included



**Star Blue Masonry Blade**

- Good quality diamond and good cutting value
- General purpose, combo brick/block

DM85B	
SIZE	Cat #
12" x .110 x 1"	70504
14" x .125 x 1"	70520



**X-Tra Plus Red Ultimate High Speed**

- High quality diamond and longer cutting life
- Great for fast cutting in hard brick and block

HUBX	
SIZE	CAT #
14" x .125 x UNV	112876



**MEDIUM AGGREGATE ASPHALT/GREEN CONCRETE**  
Specification for Asphalt  
**A6000I**

**Imperial Purple for Asphalt**

- .312" Diamond Depth
- Basic quality diamond, economical cutting value

IMPERIAL PURPLE ASPHALT/ GREEN CONCRETE/ ASPHALT OVER CONCRETE	
SIZE	CAT #
14" x .140	36821
18" x .140	36822
20" x .140	36823
24" x .155	36824
26" x .165	36825
30" x .187	36828
36" x .187	36831



**Heavy Duty Orange**

- .250" Diamond Depth
- Fast cutting blade that works well with a wide variety of high or low HP saws.

HEAVY DUTY ORANGE WET BLADES			
SIZE	Cat #	SIZE	Cat #
<b>C52HXM - CURED CONCRETE HARD AGGREGATE</b>		<b>AC62DWHXM - ASPHALT OVER CONCRETE</b>	
14" x .125	35386	14" x .125	40274
18" x .125	15386	18" x .125	39012
26" x .155	53163	26" x .155	42068
30" x .175	32849	30" x .175	39752
<b>C56HM - CURED CONCRETE MED AGGREGATE</b>		<b>A606HXM - ASPHALT</b>	
14" x .125	07583	14" x .125	15066
18" x .125	07673	18" x .125	19336
		26" x .155	25563
		30" x .175	43394



**MEDIUM AGGREGATE CONCRETE**  
Specifications for Light to Medium Reinforced Concrete  
**C2650I**

**Imperial Purple for Concrete**

- .394" Diamond Depth
- Basic quality diamond and economical cutting value.

IMPERIAL PURPLE WET CURED BLADES			
SIZE	CAT #	SIZE	CAT #
14" x .125	36800	24" x .155	36814
16" x .125	36808	26" x .155	36815
18" x .125	36809	26" x .165	36815
20" x .140	36811	26" x .187	37039
20" x .155	39504	30" x .155	36817
20" x .187	37037	30" x .187	36818
		36" x .187	36834



**Heavy Duty Orange**

- .250" Diamond Depth
- Very high diamond quality and longer blade life
- V-Gullet core for faster cutting and cooling during dry cutting

HEAVY DUTY ORANGE DRY WALK BEHIND BLADES			
SIZE	DC1H Cat #	DA2H Cat #	DG3H Cat #
12" x .125 x 1"	11196	11156	11213
12" x .187 x 1"	11197	11158	50718
14" x .125 x 1"	11199	11162	11215
14" x .187 x 1"	11200	11170	19093
16" x .125 x 1"	15499	15334	35322
16" x .187 x 1"	30677	46464	---
18" x .125 x 1"	11203	11174	44588
20" x .125 x 1"	60330	44475	---

**CCE0900**  
14"-20" Blade Capacity  
Gasoline

\* Blade not included

**FEATURES:**

- Honda 11.7HP engine
- Light weight and portable
- Easy to read built-in depth indicator
- Water tank included

**Specifications**

Max Depth (20"): 7-5/8"  
Blade Shaft RPM: 2,600  
Arbor Size: 1" w/DPH  
Raise/Lower: Screw feed

**CC1200XL**  
14" & 18" Blade Capacity  
Gasoline

\* Blade not included

**FEATURES:**

- Heavy duty design, but light weight
- Easy to read built-in depth indicator
- Heavy duty handles do not rattle
- Water tank included

**Specifications**

Max Depth (14"): 4-5/8"  
Max Depth (18"): 6-5/8"  
Blade Shaft RPM: 2,600  
Arbor Size: 1" w/DPH  
Raise/Lower: Screw feed

**CCE0900 & CC1200XL SMALL WALK BEHIND SAWS**

Saw Model #	Engine Make	Engine/Motor Model	Engine/Motor Power	Blade Capacity	Cat #	Product Weight (lbs)
CCE0911H-20	Honda®	GX390	11.7 HP, 19.5 Torque (lbs.-ft.)	20"	30396	290
CC1211HXL-18	Honda®	GX390	11.7 HP, 19.5 Torque (lbs.-ft.)	18"	32453	320

**CC1300XL**  
14"-20" Blade Capacity  
Gasoline**FEATURES:**

- Heavy duty frame design
- Four position heavy duty handles
- Solid sealed and self aligning blade shaft bearings
- Left or right side sawing
- Water tank optional

**Specifications**


Max Depth (14"): 4-5/8"  
Max Depth (18"): 6-5/8"  
Max Depth (20"): 7-5/8"  
Blade Shaft RPM: 2,600  
Arbor Size: 1" w/DPH  
Raise/Lower: Screw feed

**CC1300XL WALK BEHIND SAWS**

Saw Model #	Engine Make	Engine/Motor Model	Engine/Motor Power	Blade Capacity	Cat #	Product Weight (lbs)
CC1311HXL-20	Honda®	GX390	11.7 HP, 19.5 Torque (lbs.-ft.)	20"	21855	365
CC1310E3XL-18	Baldor	n/a	5 HP, 230V - 1PH	18"	75071	280

**CC1800XL**  
14"-20" Blade Capacity  
Gasoline  
Electric  
Propane

\* Blade not included

**FEATURES:**

- Electric start option
- Self propelled drive
- Easy access to battery
- Screw feed raise and lower
- Lifting hook standard on all models
- Self aligning blade shaft bearings

**Specifications**

Max Depth (20"): 7-5/8"  
Blade Shaft RPM: 2,600  
Arbor Size: 1" w/DPH  
Raise/Lower: Screw feed  
Transmission: Eaton 10  
Drive Speed: 0-80 fpm

**CC1800XL WALK BEHIND SAWS**

Saw Model #	Engine Make	Engine/Motor Model	Engine/Motor Power	Blade Capacity	Cat #	Product Weight (lbs)
CC1820HXL-S-20	Honda®	GX630	20.8 HP, 35.6 Torque (lbs.ft.)	20"	53351	470
CC1875E1XL-S-20	Baldor	n/a	7.5HP, 230V - 1PH	20"	54539	450
CC1823BVXLP-20S	Briggs	Converted Vanguard	23 HP	20"	101228	485

**CC2500**  
14"-30"  
Blade Capacity  
Propane

\* Blade not included

**CC3500**  
14"-30"  
Blade Capacity  
Gasoline  
Electric  
Propane

\* Blade not included

**FEATURES:**

- Electronic fuel injected engine
- Fast engine start
- Screw feed raise/lower
- Easy to maneuver self propelled drive
- Strongest frame on the market
- Fits through a 30" door frame
- Two position tilt handle bars

**Specifications**

Max Depth (26"): 10-3/8"  
Blade Shaft Drive: 5 belts  
Arbor Size: 1" w/DPH  
Raise/Lower: Hyr Pump  
Transmission: Eaton 7  
Drive Speed: 0-130 fpm

**FEATURES:**

- Great mid-size saw for service, utility work and rental
- Multiple engine options
- Easy to maneuver self propelled drive
- Strongest frame on the market
- Fits through a 30" door frame
- Cyclone 4-stage air cleaner

**Specifications**

Max Depth (30"): 12-3/8"  
Blade Shaft RPM: 2,600  
Arbor Size: 1" w/DPH  
Raise/Lower: Hyr Pump  
Transmission: Eaton 11  
Drive Speed: 0-200 fpm

**CC2500 & CC3500 WALK BEHIND SAWS**

Saw Model #	Engine Make	Engine/Motor Model	Engine/Motor Power	Blade Capacity	Cat #	Product Weight (lbs)
CC2525KCP-26	Kohler®	Command converted	Propane	26"	101517	1,060
CC3535JBV-30	Briggs®	Vanguard	35 HP	30"	25337	1,065
CC3538JK-30	Kohler®	Command	38 HP (55.3 torque) w/jackshaft	30"	100503	1,040





**Grinder/Polisher**

- Compact, light-weight design and disconnect components for increased mobility
- Innovative gear concept for maximum productivity with minimal maintenance
- 3-Planetary head gear drive
- Water tank and external water connection
- Integrated headlights

**Scarifiers**

- Available in gas or electric
- Height adjustment by hand wheel
- Easy to maneuver
- Vacuum connection



**Floor Stripper**

- Direct drive power travel
- Height-adjustable
- Protective cover helps prevent flying pieces
- Integrated weights adjustable to 3 positions
- Ergonomically designed handle bars



**Shot Blaster**

- Variable drive unit for forward and backward
- LED headlights
- 5-blade technology for a perfect spray pattern
- Unique modular system - expanding the mean width of the base unit
- Operating hours counter
- Folding rear axle for transport

CORE PREP MACHINES					
Product Type	Model #	Capacity	Power	Part #	Catalog #
Scarifier	CPS83E1	8" Milling Width	3HP Electric	5802001	112186
Scarifier	CPS848G	8" Milling Width	4.8HP Gas	5802002	112187
Scarifier	CPS1320E3	13-1/4" Milling Width (w/diamond) 12-1/2" Milling Width (w/cut drum)	20HP Electric	5802003	112188
Scarifier	CPS1325LCE3	12-1/2" Milling Width (low chassis)	25HP Electric	5802005	112189
Scarifier	CPS1335G	13-1/4" Milling Width (w/diamond) 12-1/2" Milling Width (w/cut drum)	35HP Gas	5802004	112190
Floor Stripper	CPST1415E1	13.77" Strip Width	1.5HP Electric	5802006	112185
Shot Blaster	CPSB810E3	8.85" Blast Width	12.3HP Electric	5802007	112184
Grinder/Polisher	CPG205E3	20-1/4" Grind/Polish Width	5HP Electric	5802000	111865

**Polishing Pads, Discs and Pucks**



**Core Lock and Competition Style Diamond Grinding Inserts**



CORE-LOCK GRINDING INSERT PLATES			
Size	Inserts	Part #	Cat #
8"	3	GP8000	05407
10"	6	GP10000	05409
12"	6	GP12000	05419

**Floor Grinding Plates and Diamond Heads**



**CPG80E Single Head Floor Grinder**  
8" Head Capacity  
Electric

**FEATURES**

- 2 HP Baldor-1PH, 115V, 16 amp motor
- Remove paint, epoxy and rough spots
- Easy to maneuver push drive
- Slurry skirt keeps the machine on the grinding surface
- Includes 50ft, 12 gauge extension cord

CPG80E SINGLE HEAD LOW PROFILE GRINDER					
Model #	Engine/Motor Type	Part #	Cat #	Head Capacity	Product Weight (lbs.)
CPG82E1-8	2HP-1PH-*115V or 230V Baldor® Electric	5801037	13317	8"	120



**CPG100 Single Head Floor Grinder**  
10"/12" Head Capacity  
Electric  
Gasoline

**FEATURES**

- Remote throttle
- 2" dust port opening
- Adjustable wheel location for added grinding strength
- Electric models include starter box
- Includes 50 pound weight that maintains surface pressure

CPG100 SINGLE HEAD FLOOR GRINDER						
Model #	Engine/Motor Make	Engine/Motor Power	Power Source	Part #	Cat #	Product Weight (lbs)
CPG102E1	Baldor®	2 HP-1PH, 115V or 230V	Electric	5800727	13227	370
CPG110H	Honda® GXV390	10.2 HP	Gas	5800726	13420	320
CPG175E1	Baldor®	7.5 HP-1PH, 230V	Electric	5800828	15040	355




**CPG200 Dual Head Floor Grinder**  
10"/12" Head Capacity  
Electric  
Gasoline

**FEATURES**

- Remote throttle
- 2" dust port opening and water hose connection
- Adjustable operator handles
- Dual head allows large 24" grinding area with two 12" heads
- Uses diamond grinding head, carbide blocks, grinding stones, and Core-Lock

CPG200 DUAL HEAD FLOOR GRINDER						
Model #	Engine/Motor Make	Engine/Motor Power	Power Source	Part #	Cat #	Product Weight (lbs)
CPG210H	Honda® GXV390	10.2 HP	Gas	5801238	42874	530
CPG202E1	Baldor®	2 HP-1PH, 115V or 230V*	Electric	5801235	42765	390
CPG275E1	Baldor®	7.5 HP-1 PH, 230 Volt	Electric	5801236	42793	524





**BASIC - GOOD QUALITY, LONG LIFE**

Individual Blades - No Skid Plate

SIZE	BASIC1000 Cat #	BASIC2000 Cat #	BASIC3000 Cat #	BASIC4000 Cat #	BASIC5000 Cat #	BASIC6000 Cat #
4" x .080	70113	70114	70116	70117	70119	70120
6" x .100	63013	40544	40546	40547	63014	63016
8" x .100	63056	42938	42939	42943	63058	63063
8" x .125	63365	63371	63372	63373	63380	63381
10" x .110	63382	46593	46596	46599	63384	63388
10" x .250	63389	63390	63392	63396	63397	63404
12" x .125	63413	44970	44971	44974	63415	63416
12" x .250	63417	63419	63420	63421	63422	63423
13.5" x .125	63426	63427	63428	63429	63430	63437
13.5" x .250	63440	63441	63442	63446	63447	63449
14" x .125	63450	44976	44977	44978	63458	63464
14" x .250	63465	63466	63467	63468	63469	63470

**BASIC BLADE PACKAGES** Blades With Universal Snap-On Skid Plate

SIZE	BASIC1000 Cat #	BASIC2000 Cat #	BASIC3000 Cat #	BASIC4000 Cat #	BASIC5000 Cat #	BASIC6000 Cat #
6" x .100	64125	64132	64133	64134	64135	64136
8" x .100	64163	64166	64167	64185	64206	64207
8" x .125	64234	64235	64236	64237	64238	64242
10" x .110	64271	64273	64274	64275	64276	64282
10" x .250	64335	64338	64341	64344	64345	64348
12" x .125	64376	64378	64379	64384	64387	64388
12" x .250	64439	64441	64442	64443	64447	64448
13.5" x .125	64471	64473	64474	64479	64482	64485
13.5" x .250	64516	64518	64522	64526	64528	64530
14" x .125	64546	64547	64550	64552	64553	64555
14" x .250	64573	64579	64580	64581	64582	64583




**UNIVERSAL Snap-On Skid Plates Fit Diamond Products Saws and Competitor Saws.**

**Universal Skid Plate Features**

- Stainless steel construction
- Snap-on, clip style that fits on Diamond Products First-Cut saws and competition saws
- 1/8" thick bottom plate allows skid to be used for 2-3 blades before requiring replacement depending on the abrasive properties of the aggregate and the diameter of the blade
- Steel mounting pins that won't break or fail like some cast aluminum competitor mounts
- Mounted with a locking pin to keep the plate in place
- Fits both steel and cast skid plate saws

**UNIVERSAL SNAP-ON SKID PLATES - FOR .125 & .250 THICK BLADES**

Description	.125 Part #	.125 Cat #	.250" Part #	.250" Cat #
Skid Plate for 6" and 8" Blades	2505481	105295	2505486	107475
Skid Plate for 10" Blades	2505483	107039	2505487	107476
Skid Plate for 12" and 13.5" Blades	2505484	107040	2505488	107477
Skid Plate for 14" Blades	2505485	107041	2505489	107478



**EXPERT - VERY HIGH QUALITY, LONGER LIFE**

Individual Blade Only - NO SKID PLATE

SIZE	EXPERT1000 Purple Cat #	EXPERT2000 Green Cat #	EXPERT3000 Red Cat #	EXPERT4000 Orange Cat #	EXPERT5000 Yellow Cat #	EXPERT6000 Black Cat #
AGGREGATE	VERY HARD	HARD	MED HARD	MEDIUM	MED SOFT	SOFT
6" x .095	66117	67330	57526	68407	69019	56798
6.5" x .100	90411	---	103521	---	---	---
13.5" x .125	68438	67329	67898	69554	68378	69690
13.5" x .250	69159	70166	69328	69853	68434	68384
14" x .125	68394	68392	57525	68518	51156	51177
14" x .250	68521	70559	68526	68469	68351	69770

**EXPERT BLADE PACKAGES**

Blades With Skid Plate for **DIAMOND PRODUCTS SAWS**

SIZE	Includes Skid Plate #	EXPERT1000 Purple Cat #	EXPERT2000 Green Cat #	EXPERT3000 Red Cat #	EXPERT4000 Orange Cat #	EXPERT5000 Yellow Cat #	EXPERT6000 Black Cat #
AGGREGATE		VERY HARD	HARD	MED HARD	MEDIUM	MED SOFT	SOFT
6" x .095	2505481	64145	64147	64149	64150	64155	64156
6.5" x .100	2505481	106266	---	107670	---	---	---
13.5" x .125	2505485	106314	106315	106316	106317	106318	106323
13.5" x .250	2505489	106324	106326	106327	106328	106329	106330
14" x .125	2505485	64557	64558	64559	64561	64562	64566
14" x .250	2505489	64584	64585	64590	64597	64598	64599

**EXPERT BLADE PACKAGES**

Blades With Skid Plate for **COMPETITOR SAWS**

SIZE	Includes Skid Plate #	EXPERT1000 Purple Cat #	EXPERT2000 Green Cat #	EXPERT3000 Red Cat #	EXPERT4000 Orange Cat #	EXPERT5000 Yellow Cat #	EXPERT6000 Black Cat #
AGGREGATE		VERY HARD	HARD	MED HARD	MEDIUM	MED SOFT	SOFT
6" x .095	2505481	64145	64147	64149	64150	64155	64156
6.5" x .100	2505481	106266	---	107670	---	---	---
13.5" x .125	2505484	64488	64489	64493	64494	64495	64498
13.5" x .250	2505488	64532	64533	64535	64541	64543	64544
14" x .125	2505485	64557	64558	64559	64561	64562	64566
14" x .250	2505489	64584	64585	64590	64597	64598	64599



**Packaged with Skid Plate**  
Includes 1" arbor with drive-pin hole and triangle knock-out  
Triangle to 1" bushing (.070" thickness)  
Cat # 102172



**Joint Protectors**  
(50 or 150 per bag) 2" long x 1/2" wide x 1/8" thick  
• Used when making cross-cuts in green concrete

Part #	Cat #
JOINTPRO-50	17145
JOINTPRO-150	107856

**SPECIFICATIONS**

Specifications & Specification Color Code	Aggregate Hardness & Map Color Code
EXPERT1000-Purple	Very Hard
EXPERT2000-Green	Hard
EXPERT3000-Red	Medium Hard
EXPERT4000-Orange	Medium
EXPERT5000-Yellow	Medium Soft
EXPERT6000-Black	Soft

Consider the **Aggregate Hardness** based on aggregate found in your area and cure time before determining the bond specification. Aggregate hardness can be determined by the aggregate map found at the back of this booklet. **Specification Color Codes** follow common industry codes for bond specifications.



**CC150XL-EE  
FIRST-CUT SAW**

**6.5" Blade Capacity**  
Electric  
Gasoline

CC150XL-EE SPECIFICATIONS	
Max. Depth of Cut	1-3/16" with 6" diameter blade 1-1/2" with 6.5" diameter blade
Blade Shaft RPM	4020
Blade Shaft Diameter	1-1/4"
Arbor Size	1"
Depth Indicator	Standard

**FEATURES**

- Reliable skid plate system for green concrete
- Spring-loaded skid plate that stays down on the surface to help prevent spalling
- Heavy duty design but light weight enough for two people to lift
- Fully adjustable handle bars for operator comfort
- Five wheels under the frame for increased stability
- Cyclone air filter for increased air flow
- Up-cut design to keep debris from going back in the cut
- Blade raise/lower mechanical mechanism with spring loaded release
- Includes vacuum attachment guard plate

CC150XL-EE FIRST-CUT SAWS				
Model #	Engine Make/Model	Engine Power	Cat #	Product Weight (lbs)
CC125BXL-EE6	Baldor Electric	2.5 HP	07789	120
CC148HXL-EE6	Honda® GX160	4.8 HP, 7.6 Torque (lbs.-ft.)	32739	100

Horsepower as rated by the engine manufacturer.

**CC190PRO-EE First-Cut Saw**  
**14" Blade Capacity**  
Gasoline


**FEATURES**

- Capable of .110" to .250" thick blades
- Self propelled drive
- Raise and lower adjustable handle bars
- Heavy duty handle design
- Vibration dampeners that prevent rattling that disrupts the skid plate function
- Self aligning blade shaft bearings
- Easy access to battery with heavy duty isolator switch to prevent power drain
- Up-cut design to keep debris from going back in the cut
- Lifting hook for easy transport

Includes: Electric start, low oil alert and tach/hour meter

CC190PRO-EE FIRST-CUT SAW				
Model #	Engine Make/Model	Engine Power	Cat #	Product Weight (lbs)
CC190PRO-EE	Honda® GX630	20.8 HP	13364	420

Horsepower as rated by the engine manufacturer.



CC190PRO-EE SPECIFICATIONS	
Max. Depth of Cut	3-5/8" with 14" diameter blade
Blade Shaft RPM	3500
Blade Shaft Diameter	1-1/4"
Arbor Size	1" with single drive pin
Blade Raise/Lower	Electric actuation
Transmission	Eaton Model 6
Drive Speed	0-80 feet per minute



**BLADE BANDIT**

- Installs on most side grinders
- For use with diamond, tuck point or V-crack blades
- Visible depth adjustment
- Includes universal vacuum adapter that fits hose sizes 1", 1-1/4", 1-1/2" and 2"
- Clear polycarbonate for easy cutting view
- Heavy duty, flexible material to withstand rugged job sites

BLADE BANDIT	
Description	Cat #
Blade Bandit for 5" Blades	77540
Black Bandit for 7" Blades	77617



**CUP BANDIT**

- Rubber collar allows movement with the tool
- Clear polycarbonate for visible grinding
- Fits 3 size ports: 1-1/4", 2" & 2-1/4" vacuum port
- Removable edge to allow grinding against a wall
- Heavy duty material to withstand rugged job sites

CUP BANDIT	
Description	Cat #
Cup Bandit for 5" cup grinders	93507
Cup Bandit for 7" cup grinders	93684



**BIT BANDIT**

- Installs in seconds
- 1-1/2" vacuum port
- Clear polycarbonate for visible coring
- Heavy duty, flexible material to withstand rugged job sites

BIT BANDIT	
Description	Cat #
Bit Bandit for 1" to 4" diameter bits	92859
Bit Bandit for 2" to 8" diameter bits	92819



**CVG1PRO Vacuum**

- For large dust containment applications
- Designed for use with the First-Cut early entry system
- Electric start Honda engine
- NEVER-FAIL patented cleaning system
- Heavy duty caster wheels
- Lever steel drum lowering dump system
- Hour meter to track time for service
- Four agitator arms for better cleaning

Wheels	(2) 5" rubber, (2) 5" caster
Engine	5.5HP Honda Gas
Compressor	1100 CFM
Filtration	Hepa
Dimensions	59"H x 34-1/2"L x 28"W
Hose	5" x 15'

**HEPA FILTERS**

**OSHA-Compliant with the First-Cut System**

CVG1PRO CONTAINMENT VACUUM	
Description	Cat #
CVG1PRO Dry HEPA Vacuum	111653
Main Filter Replacement	103382
Vacuum side cover for CC190PRO-EE	80580



**CV300S Vacuum**

- 2" hose diameter
- Includes 55 gallon drum (complete unit)
- Large back wheels and caster wheel for easy maneuverability

Power	120V
Compressor	300 CFM
Filtration	Self-cleaning

CV300S VACUUM (SOLD AS INDIVIDUAL ITEMS)		
Description	Part #	Cat #
CV300S Motor Head Only	2506969	106885
55 Gallon Drum with Drain	6049207	108453
Drum Cart with Wheels	6049206	108454
15ft. Hose	2505973	108455
30ft. Hose	2505974	108456
Vacuum Wand	2505970	108457
Wand Base	2505972	108459
Wand Squeegee	2505971	108460



# AGGREGATE MAP

## U.S. & CANADA

**CORE CUT**

**CORE BORE**

**CORE VAC**

**CORE PROP**

**CORE POWER**


**TYROLIT**



**DPU**  
DIAMOND PRODUCTS UNIVERSITY

*Podcast*

Look for the **DPU Podcast** on all streaming platforms



Other types of aggregate can be found in many parts of the U.S. and Canada

These are the basic aggregates found in the shown areas:

Soft Limestone  
Sandstone  
Dolomite Limestone  
Siliceous  
Soft Shell



**SOFT**

Pit Gravel  
Limestone  
Dolomite



**MEDIUM SOFT**

Medium Hard River Rock  
Medium Traprock  
Decomposed Granite  
Medium Crushed Gravel



**MEDIUM**

Granite  
Slate  
Traprock  
Basalt  
Quartzite



**MEDIUM HARD**

Hard Chert  
Quartz  
Flint Rock  
Hard River Rock



**HARD**



800-321-5336  
diamondproducts.com



Diamond Products Limited  
333 Prospect St - Elyria, OH 44035  
Customer Service: [custserv@diamondproducts.com](mailto:custserv@diamondproducts.com)